TRANSFER STATION FACILITY PERMIT APPLICATION

For

ANDERSON CREEK LANDFILL

Harnett County

North Carolina

AUGUST 2006

Owner: Harnett County 900 South 9th Street Lillington, NC 27548

Prepared By:



POST OFFICE BOX 578 COATS, NORTH CAROLINA 27521 PHONE 910-897-7070 FAX: 910 897-6767




TABLE OF CONTENTS

1.0 II	NTRODUCTION1
1.1	Facility Location2
1.2	Facility Description3
2.0 Al	PPLICATION REQUIREMENTS3
2.1	Site Plan3
2.2	Erosion Control Approval3
2.3	Zoning Approval4
3.0 0	PERATION REQUIREMENTS4
	· April
	FIGURES
Figure 1	- Site Location Map2
	APPENDIX
Zoning a	and Deed Information and E&S ApprovalSection I
Operatio	ons Plan Section II
Drawing	sSection III
Sheet 3	Grading and Storm Drainage Plan
Sheet 4	Erosion and Sediment Control Plan
Sheet 8	Erosion and Sediment Control Details
Sheet 12	Elevations
(Note: A this appl	complete set of bid drawings (Sheets $1-20$) is submitted separately with ication)

1.0 INTRODUCTION

Harnett County wishes to construct a new Transfer Station at the Anderson Creek Landfill facility. The existing transfer station was originally designed as a convenience center for residential customers. At a later date it was transformed into a transfer station. This project will consist of the construction of a new transfer station and the existing transfer station will be converted back to a convenience center as originally intended.

The Anderson Creek Landfill is located approximately 15 miles southwest of Lillington, North Carolina, off of NC Hwy 27. This facility contains two closed municipal solid waste (MSW) landfill units, a closed LCID landfill unit, a yard waste storage area, and an existing C&D landfill unit that is currently active. The two MSW landfills stopped receiving waste prior to October 9, 1993. The LCID unit stopped receiving waste in 1996, after the permitting of the current C&D unit. Upon the closure of the LCID unit, the existing C&D unit began operation in the area of the former LCID unit in December 1996.

This report has been prepared for Harnett County in accordance with the application requirements for Transfer Station Facilities as listed in rules 15A NCAC 13B .0401 thru .0402. The information provided in this report with the attached drawings constitutes the Site Application and Construction Plan for the Transfer Station Addition at the Anderson Creek Landfill facility. This report is organized in a format consistent with the application requirements specified in rules 15A NCAC 13B.0401 thru 15A NCAC 13B.0402. The following narrative and associated appendices provide all the requirements specified in the above rules. See the Table of Contents for a more detailed list of items included in this report.

1.1 Facility Location

The proposed Anderson Creek Transfer Station is located near the scale house on the existing 153 acre County landfill property. All County planning and zoning requirements were met and approved in the original permitting process for this facility.




Figure 1: Site location map

To reach the landfill facility from Lillington, NC, take Hwy 27W for 8 miles. Turn left onto Nursery Road and continue for 3.5 miles. Turn right onto Doc's Road and the Anderson Creek Landfill, Poplar Drive, will be the first road on the left.

The mailing address for the transfer facility is the same as the Solid Waste Department:

Harnett County General Services Office Solid Waste Department P.O. Box 940 Lillington, NC 27546

1.2 Facility Description

The Harnett Transfer Station consists of a tipping building, tipping building apron, access roads, trailer packing & parking areas. The tipping building includes upper and lower level concrete slabs with metal wall panels on three sides of the building. The east side of the building is open for vehicle access to the tipping floor. Three exhaust fans will be installed for odor control and air quality within the operating area. The tipping building apron and access roads will have either an asphalt or concrete paved surface. The existing landfill scale house is used for weighing incoming vehicles. The outgoing transfer trailer vehicles are weighed prior to disposal at a lined landfill. Currently the waste is being disposed at the Uwharrie Environmental facility (NCDENR SW Permit # 62-04) located in Troy, NC. A secondary optional disposal site for the disposal of the waste leaving the transfer station is the Waste Industries Landfill (NCDENR SW Permit# 82-02) located in Sampson County, NC.

2.0 APPLICATION REQUIREMENTS

(15A NCAC 13B .0401)

The following information is provided to satisfy Rule 15A NCAC 13B.0401 of the North Carolina Solid Waste Management regulations. Three hardcopy sets and one electronic set of the Site Plan, Erosion Control Plan, and Operation Plan have been provided per Rule requirements.

2.1 Site Plan

A Site Plan of the proposed Transfer Station Addition is included in the Appendix, Section III of this application. The Site Plan depicts the locations of proposed and existing features including wells, buildings, property lines, streams, topographic features, contours, driveways, gates, fencing, foundations, and scales.

2.2 Erosion Control Approval

The Anderson Creek Landfill has an existing erosion and sedimentation control plan for the entire operational area, which is relative to the location of the transfer station. The landfill area has several drainage ditches, sediment ponds and culverts, which transport and treat sediment laden water prior to release. The most recent approval for this area was the October 19, 2004 issuance of the Erosion and Sediment Control permit for the Anderson Creek Landfill Phase II Expansion application (The NCDENR E&S Approval Letter can be found in Appendix, Section I). All drainage from the site is routed through a series of three existing sediment basins. The total storage capacity of these storage basins is greatly oversized for the current and/or proposed disturbed areas. Included in the transfer station design is 1019 If of sediment fence. The Emsion and Sediment Control Plan can be found in Appendix, Section III.

2.3 Zoning Approval

Harnett County has zoning authority over the landfill property. The site has been approved for use as a landfill/transfer station facility. A copy of the zoning approval letter has been included in Appendix, Section I.

3.0 OPERATION REQUIREMENTS

(15A NCAC 13B .0402)

Harnett County shall maintain and operate the Anderson Creek Transfer Station facility in accordance with the Operation Plan prepared in accordance with Rule 15A NCAC 13B .0402 of the North Carolina Solid Waste Management regulations. The Anderson Creek Transfer Station Operation Plan can be found in the Appendix, Section II.



www.harnett.org

PO Box 65 108 E. Front St. Lillington, NC 27546

Ph: 910-893-7525 Fax: 910-814-6459

Zoning Certification

Harnett County General Services Attn: Jerry Blanchard, Director PO Box 940 Lillington, NC 27546

RE: Anderson Creek Landfill
Transfer Station

To Whom It May Concern:

A transfer station is an accessory use to the existing landfill facility and will be permitted in this zoning district, RA-20R. The PIN for this property is 9596-91-9854.

Sincerely,

Samantha Fi

Planner I



Planning Department

www.hamen.org

PO Box 65 102 East Front Street Lillington, NC 27546

> ph: 910-893-7525 fax: 910-893-2793

August 24, 2004

C.T. Clayton, Sr., P.E. PO Box 12794 New Bern, NC 28561

Mr. Clayton:

The existing Anderson Creek landfill was approved for a Conditional Use Permit on June 29, 1989. According to the Harnett County Zoning Ordinance this permit/use is still valid, and therefore is in compliance with all Harnett County regulations.

If you should have any questions or need additional information, please contact the Planning Department at (910) 893-7525.

Sincerely,

Jay Sikes
Planner II

cc: Jerry Blanchard, General Services Manager

strong roots - new growth



Hannett County Planning & Development Dept.

THOMAS E. MEECE, JR., DIRECTOR

DEVELOPMENT COMMISSION INSPECTION SECTION

PLANNING SECTION SECTION 8 HOUSING

June 29, 1989

Ragsdale Consultants, R.A. Lillington Office 813 Main Street PO Box 760 Lillington, NC 27546

Dear Sirs: . .

The Harnett County Board of Adjustment considered Harnett County's application for a conditional use permit to extend the Anderson Creek Landfill site on Monday June 26, 1989. The site is located on SR 1164 in Anderson Creek Township. and complete consideration of the evidence presented during the public hearing the board voted to grant the conditional use permit. As a result the proposed landfill site is in compliance with the Harnett County Zoning Regulations.

Please let me know if I can provide any additional information.

Sincerely,

Carla Stephens

Planning Supervisor

HARNETT COUNTY PLANNING DEPARTMENT APPLICATION FOR CONDITIONAL USE PERMIT

	Hammath S	IONAL USE PERMIT
		rth Carolina
(1	1) Landounan Tag	- Garolina
	1) Landowner Information:	(2)
	Name	(2) Applicant
	Name County of Hamett	Information:
	AUGUEBR P II Par 700	name_County of U
	11111111111111111111111111111111111111	TEO
	res. Phone No N/A	-LILLIMPTON NC 275/6
	Work Phone No. 893-7555	WGB. FROMA No.
(3)) Location of Building/Property:	110 No. 893-7555
	Township Ratheque	Zoning Di-
	State Parling	Zoning District: RA-20-R
	State Road No. near NCSR 1164	CCU DOOK K XXA D K CO
	Address of Property N/A	THE PART OF THE PA
		- ATCET NO:
		Subdivision Name & Lot
	Acreage 163.26	
		Number of Bedrooms
(4)	Requested Conditional Use Permi	Dear Olymp
		t G. Public Utility Facilities
		Tacritues
(5)	Are any other buildings or property? None	
	Property? None Dulldings or	structures local
	(#61,	located on the
(6)		
	Survey and description of	Dronant- c
	Attach a written description of Survey and complete directions t	the trom a Deed or
(7)		
(,)		_ f _
•	(1) inch equals 200 fact	a scale of not less than one
	(1) inch equals 200 feet. (A required where such a plat exist	copy of a recorded plat do
	Z.	s.)
(8)	Attach a	
	requested such a description	of the conditional use
	offered outli as examples of th	e items sold and/
	requested such as examples of the	and/or services

- Attach a list of acceptable conditions or restrictions including (a) lot size, (b) setbacks-front, side, and rear, (9) (c) building size or lot coverage, (d) signs, (e) parking,
 - (f) access, (g) screening natural or manmade.
- (10) Attach a list of the names and addresses of the current adjoining property owners.
- (11) Attach an explanation of why the Conditional Use Permit is requested addressing applicable portions of Article VII,
- (12) Is the property located in the flood plain? Only a small area at western end of property - see attached map.

(13	How far is the proposed structure from: Actual Distances: front property line side property line back property line nearest building Minimum Required: ———————————————————————————————————
	certify that I am making application for the landowner or elf and that the information provided is complete and the tements given are true to the best of my knowledge.
本本本年	Applicant's Signature Date ************************************
	To be completed by Zoning Administrator
(1)	Date completed application received
(2)	Date and amount of payment for review
(3)	Date of mailing notification to adjacent property owners for public hearing to be held by Board of Adjustment
(4)	Date of Board of Adjustment meeting(s) when request
(5)	Date of posting notice of public hearing on property
(6)	Dates of advertising notice of Public Hearing in local paper
(7)	Action by the Board of Adjustment:
	Application granted
	denied
	Zoning Administrator Date

.

•

Section 3.0 Action by the Board of Adjustment

The Board of Adjustment shall approve, modify or deny the application for Conditional Use Permit following the public hearing. In granting a Conditional Use Permit, the Board of Adjustment shall make written findings that the applicable regulations of the district in which it is located are fulfilled. With due regard to the nature and state of all adjacent structures and uses, the district within which it is located, and official plans for future development, the Board of Adjustment shall also make written findings that the following provisions are fulfilled.

- 3.1 The use requested is listed among the conditional uses in the district for which application is made.
- 3.2 The requested use is essential or desirable to the public convenience or welfare.
- 3.3 The requested use will not impair the integrity or character of the surroundings or adjoining districts, nor be detrimental to the public health; norals, or welfare.
- 3.4 The requested use will be in conformity with the Land Use Plan.
- 3.5 Adequate utilities, access roads, drainage, sanitation and/or other necessary facilities have been made or are being provided.
- 3.6 That adequate measures have been or will be taken to provide ingress and egress so designed as to minimize traffic congestion in the public streets.
- 3.7 That the conditional use shall, in all other respects, conform to the applicable regulations of the district in which it is located, except as such regulations may, in each instance, be modified by the Board of Adjustment.

- (2) Also Deed Book # 879 Page # 316-317
 Plat Book # D Page # 102-C
- (6) See attached deeds for description

From the south side of Lillington at the intersection of NC 27, NC 210 and US 401, proceed west on NC 27 for 8.9 miles to NCSR 1117. Turn left (south) on NCSR 1117 for 3.4 miles to NCSR 1116. Turn right (north) on NCSR 1116 for 0.3 mile to NCSR 1164. Turn left (southwest) on NCSR 1164 and proceed for 0.5 miles. Property is on right side of road west of overhead transmission line.

- (7) See attached maps.
- (8) Expansion of the Anderson Creek Sanitary Landfill
- (9) Conditions and restrictions will be determined by the North Carolina Division of Health Services, Solid Waste Management Section.
- (10) East side William S. Wellons, P. O. Box 766, Spring Lake,

North side - Walter C. Moorman, P. O. Box 53774, Fayetteville, NC 28305

Canal Industries Inc. - P. O. Box 830, Conway, SC 29526

West side - J. J. Barnes, P.O. Drawer "B", Fayetteville, NC 28302

South side - County of Harnett, P.O. Box 759, Lillington, NC 27546

- (11) This permit is requested so an essential need of the public (disposal of solid waste) can be accomplished in an area that is presently being used for this purpose.
- (13) Not applicable.

110011 Kee 15 11 43 AV 189

CAYLE P. HOLDER RECISTED DEEDS HARMETT COUNTY, NO

Recording Time, Book and Page

Tax Lot No.		ţ.		The state of the s	
Tax Lot No	are described and a second content	Pa	rcel Identifier NoO	305070073	
Verified by	TOTAL PROPERTY OF THE PARTY OF	County on the	day of		10
•		mad from the same a same	**************************************		
Mail after recording to Street, Post This instrument was prep Brief description for the	ared by W. Gler	Johnson, P. J , Lillington, nn Johnson, A G6 Acres-Barb	ttorney at La	at Law, 31 Earna 27546	st Harnett

NORTH CAROLINA GENERAL WARRANTY DEED

THIS DEED made this 15th day of ...

March

GRANTOR

IOMA MCGAHA STRICKLAND, Widow

Route 2, Box 166 Lillington, NC 27546

HARNETT COUNTY, a body politic and corporate

Post Office Box 759 Lillington; NC 27546

Enter in appropriate block for each party: name, address, and, if appropriate, character of entity, e.e. corporation or partnership.

The designation Grantor and Grantee as used herein shall include said parties, their heirs, successors, and assigns, ad shall include singular, plural, masculine, feminine or neuter as required by context.

WITNESSETH, that the Grantor, for a valuable consideration paid by the Grantee, the receipt of which is hereby acknowledged, has and by these presents does grant, bargain, sell and convey unto the Grantee in fee simple, all that certain lot or parcel of land situated in the City of

Harnett County, North Carolina and more particularly described as follows:
BEGINNING at an existing concrete monument, common corner with
the Anderson Creek landfill property owned by the County of Harnett, and runs thence as a dividing line with the property owned how or formerly by B. J. Barnes North 08° 37' 29" Hest 1086.47 ft. to an existing lightwood stake, corner with the property of B. Leon Johnson described by deed recorded in Book 566, Page 168, Harnett County Registry; thence as a dividing line with the property of Johnson South 88° 28' 49" East 3254.99 ft. to a new iron pipe in the Carolina Power & Light transmission line 100 ft. right-of-way; thence as a common dividing line with property owned now or formerly by Wellons Realty South 04° 26° 15" West 1101.69 ft. to an existing iron pipe; thence as a dividing line with the Anderson Creek landfill property owned by the County of Harnett North 87° 54° 28° West 415.96 ft. to an existing iron pipe; thences continuing as a dividing line with the Anderson Creek landfill property owned by the County of Harnett North 87° 53' 30° West 2591.75 ft. to the point and place of BEGINNING, and being a parcel of property containing 77.96 acres according to an actual survey by Ragsdale Consultants, P. A., dated November 22, 1988, and entitled "Survey for Anderson Creek Landfill Addition 1, and being the same property described in the deed recorded in Book 339, Page 503, Harnett County Registra 6 ← Form No. 3 B 1816, Revised 1877.

and the conveyed with this instrument.

		a. ·		
s property hereins	bove described was acq	i. uired by Grantor by	instrument recorded :	
	**************************************	-		
A map showing the a	bove described property	is recorded in Divis		pare 102-C
TO HAVE AND TO the Grantee in fee air	HOLD the aforesaid lot	or parcel of land a	nd all privileges and a	ppurtenances thereto belonging
the same in fee simple defend the title agains Title to the property	e, that title is marketat at the lawful claims of a hereinabove described i	t, that Grantor is so de and free and clea il persons whomsoev a autifect to the foll	cized of the premises in ar of all encumbrances, er except for the excep lowing exceptions:	fee simple, has the right tood and that Grantor will warrant tions hereinafter stated.
	•	er, despite on		
		*		•
		Ž.		At A
•		A 5	HARNETT COUNT	15.89 TIME 11:43am
•			BOOK 8:19	STER OF DEEDS
			GA'	TLE P. HOLDER
IN WITHESS WHERE	Of the man	•		•
Perale name by its duly	of the Grantor has become authorized afficers and its s	nto set his hand and : State of the hereand of the set	ent, or if corporate, has ca	used this instrument to be eigned in
**********************************	, . *	:=4. 7		ed of Directors, the day and yes
	Corperate Hame)		Ioma McGaha St	Mastrefebra
\$ \$ ###################################	·	1 000	ac	rickland
张子 有事事 中央学者 医安静氏腺性多质性医肠炎性炎	President	T;	등 등 이 이 수 있는 사람이 이 수 있는 이 수 있는 수 있는 수 있는 것이 있다. 	· ~~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
TEST:		1 2	•	• "
**************************************	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	EACK I	****************************	
	_Loccetary (Corporate Seal)	. 3		
REACHE LUDY		, B	· ************************************	The the emperature of the same
	MORTH CAROLINA, _	n Harn		
1120	A La Notary Public of Ioma Mod	the County and State	deretald, certify that	OF A 17 P
		*****	68 %	
E Server / 1	a sameway observe pe	fore me this day and a	cknowledged the execution	of the loregoing instrument, Witness
Coun's	D hand and official stamp	of seal this 1 July 2	aw af	Manak
	My commission expires:	<u>8/18/91</u>	Laine Men	III Brown Hotary Int
SEAL-STAND	NORTH CAROLINA.			SOUTH THE SERVICE MORARY IN
## D dis	and the second second second	the Permission and the con-	Comety.	
	# Fifteenally came before	The state of the state of	locesaid, certify that	·
	40 mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm		- 80	•
	A Property and as the act of			
	3	on calebraters berr were with	ested by	
		,	S commental of macroscome	· · · · · · · · · · · · · · · · · · ·
	Ny commission expirent		****	
foregoing Certificate(s) of		fic		Kelaty ha
	Elaine_McNe	ill Brown (A)	clary of Horn	Witt Christ
	The lastranean and and	4, j ,	1	· · · · · · · · · · · · · · · · · · ·
DATE OF BUILDING				
ai To Dilling	In.	il	ited at the date and time as	ed in the Book and Pare shows a ti
EXEPHOL	de	6 <u>1.</u>	ired at the date and time at	ad in the Hock and Pare shown a ti

ited Estate 3-23-89

Mar 23 11 30 AV 189

3 YO

CA": " HOLDER RECI . CF DEEDS Here : Hinty NC

Excise Tax

	ALEX, BOOK AND FACE
Tax Lot No.	Page 172 and 0.2 0.2 0.2 0.2
Verified by	2 acet then the
by	County on the day of 19
4	
Mail after recording to	Johnson and Johnson, P. A., Attorneys at Law, Post Office box 69, Lillington, North Carolina 27546
This instrument was prepa	red by W. Glenn Johnson, Attorney at Law Lillians
Brief description for the li	85.30 Acres-Barbecue T.

NORTH CAROLINA GENERAL WARRANTY DEED

B. LEON JOHNSON, Unmarried 6431-L The Lakes Drive Raleigh, NC 27609

and

LENDA J. TAYLOR and husband, FRED T: TAYLOR Route 5 Spring Lake, NC 28390

GRANTEE

HARNETT COUNTY, a body politic and corporate

Post Office Box 759 Lillington, NC 27546

Enter la appropriate block for each party; name, address, and, if appropriate, character of entity, e.q.

The designation Grantor and Grantee as used herein shall include said parties, their heirs, successors, and assigns, and shall include singular, plural, masculine, feminine or neuter as required by context.

WITNESSETH, that the Grantor, for a valuable consideration paid by the Grantee, the receipt of which is hereby acknowledged, has and by these presents does grant, bargain, seil and convey unto the Grantee in fee simple, all that certain lot or parcel of land situated in the City of . Barbecue Township.

... Harnett County, North Carolina and more particularly described as follows: BEGINNING at an existing iron pipe, the northeastern corner of the 77.96 acre parcel of property conveyed by Ioma Strickland to the County of Barnett by deed recorded in Book 879, Page 316, Harnett County Registry, and runs thence as a common dividing line with the property so conveyed by Toma Strickland to the County of Harnett North 88° 28' 49" West 3254.99 ft. to an existing lightwood stake in the dividing line with property owned now or formerly by J. J. Barnes; thence as a common dividing line with said property owned now or formerly by J. J. Barnes North 08° 20° 05" West 1117.62 ft. to a pine tree located South 88° 26° 21" East 93.15 ft. from an existing concrete monument, corner with the property owned now or formerly by Cape Pear Pulpwood Company; thence as a dividing line with the property owned now or formerly by Cape Fear Pulpwood Company South 88° 26' 21" Bast 3502.25 ft. to an existing concrete monument just east of the Carolina Power & Light transmission line 100 ft. right-of-way. corner with property owned now or formerly by Wellons Realty; thence as a dividing line with the property owned now or formerly by Wellons Realty South 04° 26° 15" West 1100.00 ft. to the point and place of BEGINNING, and being a parcel of property containing and place or BEGINNING, and Period a partial survey by Ragsdale 85.30 acres, according to an actual survey by Ragsdale Consultants, P. A., dated January 20, 1989, entitled "Survey for A8"

M.C. Bar Assoc. Form No. 3 B 1816, Revised 1911.

the deed recorded in Book 566, Page 168, Harnett County Registry.

FILED DATE 3.23.82 TIME // 3/A/M.

BOOK 880 PAGE 48.49

REGISTER OF DEEDS
GAYLE P. HOLDER

-	and an entire of the distribution at the little of the distribution at the little of the distribution at the little of the littl		1"
The property hereinaba	stem donument a		% .
	As described are wednited pl	Grantor	y instrument recorded in
· · · · · · · · · · · · · · · · · · ·			**************************************
	· · · · · · · · · · · · · · · · · · ·		ga - a dimensionamentamentamentamentamentamentamentamen
A map showing the abo	ve described property is record	ded in 19	lat BXX Cabinet D kyex Slide 102A
TO HAVE AND TO HO	ID the elements to	A ARA A	eat nookdo.LnetD kijexSlide. 102A d and all privileges and appurtenances thereis belonging to
he Grantee in fee simp	ie.	d of lan	d and all privileges and appurtenances there's belonging to
he same in fee simple.	that title is continued that G	rantor	is seized of the premises in fee simple, has the right to convex clear of all encumbrances, and that Grantor will warrant and spever except for the exceptions become the state.
lefend the title against	he lawful claims of all and f	ree and	clear of all encumbrances, and that Granter will
fitte to the property he	relative described is subject	s whom:	clear of all encumbrances, and that Grantor will warrant and were except for the exceptions hereinafter stated.
By sere-		r to rae	Iollowing exceptions:
be anti-	ment of the granton	rs and	d the grantee, the grantors shall
above de	Led to harvest and	sell	any and all time grantors shall
evhire a	nd become void and	of no	time prior to Twelve Midnight on such right shall automatically
	•	ĺ	
		and the same of th	*
	. • • • • • • • • • • • • • • • • • • •	î	•
	ءُ ، ٠	5.684	
LA WITHEST WHEREOF.	the Cranter has hereunte set a		. 7
pove witter	therized officers and its seal to be	peremete ie poușt, e	not seal, or if corporate, has/casted this instrument to be signed in its ailfixed by authority of the Alphee of Directors, the day and year flow
•			. Directors, the day and year five.
	· · · · · · · · · · · · · · · · · · ·	~ 1	·
	(perate Rame)		B. Leon Johnson
~ ******************	, 10 G	~~~ €	
,	3	A et 6	and the same of th
	(osident	544 a.	Yenda J. Taylor
.TEST:	•		Carlotte Line
	10 a 4 a 5 a 5 a 6 a 6 a 6 a 6 a 6 a 6 a 6 a 6	-	Fred T. Taylor
		#2 I	red 1. Taylor
	eretary (Corporate Beat)	3	•
SEALVETAND CA	*******	•	
	HORTH CAROLINA.	farne	- 4.
T STAN : E	E & Nothern Fublic of the Count	T and \$4	his planests
	Lenda J. Taylo	r and	husband, Fred T. Taylor
	d Sectionally apparent by		Grand of the Contract of the C
L'OU.	in	ble day)ë: L	nd acknowledged the execution of the foregoing instrument. Witness my
	5 had had official plamp or seal, ti	₩ 2.3 ₽X	L day of March 1, 89
The Court was			
- Server -	NY commission expires:	8737	Fraise Mc Neill Brown Houry Parker
## A #		Brand Louis Reports	The second secon
SEAL-STAMP	ROSTE CAROLINA,	-	
	L a Nother Public of the Count	r and se	the adoresald, certify that
4	personally came before me this e	day and .	
* * * * * * * * * *			a section of
	fives and as the art of the	· V	7 7 T
	Provident seals and the seal of the seal o	romakom; (1 .	the service instrument was dealed to be according
	A STATE OF THE PART OF STATE OF THE STATE OF	es seed he	d admitted by
	Where my band and official stan	m p 00 500	L this manufact of manufacture.
		- i	The state of the s
Control Control Control Control	My commission expired:	*******	mornousement accompanded on the second of th
e loregoing Certificate(s) of .			managament de la company de la
	The same least 199		
		tyoza.	Motary Harnetto Co.
are certified to be secreted	##		

TL Form No. 3 @ 1876, Revised 1977


Printed by Agreement with the N.C. Bar Assn

BENNETT SURVEYS, INC.

RT 2 BOX 134 LILLINGTON, N.C. 27546 MAY 10, 1996

BOUNDARY DESCRIPTION

BEGINNING AT AN EXISTING IRON IN C.P. & L. TRANSMISSION LINE RIGHT OF WAY, BEING THE NORTH EAST CORNER OF AN EXISTING TACT OF LAND TO HARNETT COUNTY, DESCRIBED IN A DEED RECORDED IN DEED BOOK 879 PAGE 316 AND SHOWN ON A MAP RECORDED IN PLAT CABINET D SLIDE 102-C IN THE LINE OF WELLCO, THENCE WITH WELLCO S04-26-15W 1101.69 FEET TO AN EXISTING IRON SHOWN ON THE ABOVE MENTION MAP AND BEING LOCATED AT THE END OF NCSR 1164 AND BEING THE NORTH EAST CORNER OF A TRACT RECORDED IN DEED BOOK 932 PAGE 630, SHOWN ON A UNRECORDED MAP ENTITLED HARNETT COUNTY ANDERSON CREEK SANITARY LANDFILL BY RAGDALE CONSULTANTS DATED 4-8-83, THENCE CONTINUING WITH HARNETT COUNTY 504-38-32 W 1111.82 FEET TO A CORNER WITH NOW OR FORMALLY FLOYD THOMAS SHOWN ON ABOVE MENTION MAP, THENCE WITH NOW OR FORMALLY FLOYD THOMAS 583-37-29W 432.43 FEET TO A CORNER WITH NOW OR FORMALLY ROBERT MORGAN; THENCE CONTINUING WITH MORGAN THE FOLLOWING CALLS, N53-07-55W 72.53 FEET,N77-03-47W 833.64 FEET,N74-53-05W 800.00 FEET TO A CORNER WITH NOW OR FORMALLY J. TAYLOR; THENCE WITH TAYLOR THE FOLLOWING CALLS, N74-53-05W 444.30 FEET, N30-14-11W 823.42 FEET TO A CONCRETE MONUMENT, SOUTH EAST CORNER OF HARNETT COUNTY TRACT AS SHOWN ON MAP RECORDED IN PLAT CABINET D SLIDE 102-C; THENCE WITH NOW OR FORMALLY KERRY JONES NO8-37-29W 1086.47 FEET TO AN EXISTING IRON, NORTH WEST CORNER OF A TRACT SHOWN ON A MAP RECORDED IN PLAT CABINET D SLIDE 102-C AND SOUTH WEST CORNER SHOWN ON A MAP RECORDED IN PLAT CABINET D SLIDE 102-A; THENCE NO8-20-05W 203.00 FEET TO A NEW CORNER WITH HARNETT COUNTY; THENCE AS A NEW LINE WITH HARNETT COUNTY 588-28-49E 3299.93 FEET TO A NEW SET IRON IN THE LINE OF WELLCO ALSO IN THE C.P.& L. RIGHT OF WAY ; THENCE WITH WELLCO SO4-26-15W 200.26 FEET TO POINT OF BEGINNING. THE ABOVE TRACT CONSIST OF TRACTS RECORDED IN DEED BOOK 621 PAGE 166, DEED BOOK 932 PAGE 630, DEED BOOK 879 PAGE 316 AND A PORTION OF DEED BOOK 880 PAGE 48, HAVING A COMBINED ACREAGE OF 190.97 ACRES, AS SHOWN ON A MAP ENTITLED LOT RECOMBINATION, SURVEY FOR HARNETT COUNTY ANDERSON CREEK LANDFILL BY BENNETT SURVEYS, INC. DATED MAY 06,1996 RECORDED IN PLAT CABINET F SLIDE 593A, HARNETT COUNTY REGISTER OF DEED.




NOTO ULT. 2000 + UZFM OF VEMILON OR FE

Department of Environment and Natural Resources

Michael F. Easley, Governor William G. Ross Jr., Secretary

James D. Simons, P.G., P.E. Director and State Geologist



October 19, 2004

Jerry Blanchard P. O. Box 940 Lillington, NC 27548

> Re: Approval of Soil Erosion and Sediment Control Plan Anderson Creek Landfill Harnett County, North Carolina

Dear Jerry Blanchard:

The review of the above-referenced erosion control plan has been completed. The plan has been found to be acceptable subject to the following stipulations:

- 1. The grass-lined Channels Nos. 1, 3, 6, 7, 11, 13, 14, 19 and 20 should be provided with temporary liners of adequate shear strength for design flow conditions to aid in the establishment of vegetation
- 2. Enclosed is a Certificate of Plan Approval, which must be displayed at the job site. Title 15A, Section 4B.0127(c) of the North Carolina Administrative Code requires that no person may initiate a land-disturbing activity before notifying this agency of the date the land-disturbing activity will begin. Failure to provide notification will result in a violation of this plan approval.
- 3. In order to ensure the early coordination and implementation of the erosion control plan for this project, it is requested that a preconstruction conference be held. As a minimum, representatives of the owner, engineer, contractor, and this office should attend, subject to the availability of staff. Please notify Todd Milam of this office as to when this conference is scheduled. It is also requested that you notify this office of the proposed starting date for this project.
- 4. Title 15, Section 4B.0017 (A) of the North Carolina Administrative Code requires that a copy of the approved plan be on file at the job site and that inspections of the project be made by this office to ensure compliance with the approved plan.

Land Quality Section (910) 486-1541 Fax (910) 486-0707

225 Green Street, Suite 714/ Systel Building, Fayetteville, North Carolina 28301-5043

AN EQUAL OPPORTUNITY \ AFFIRMATIVE ACTION EMPLOYER - 50% RECYCLED / 10% POST CONSUMER PAPER

- 5. Please note that this approval is based in part on the accuracy of the information provided in the Financial Responsibility/Ownership Form, which you provided. You are required to file an amended form if there is any change in the information included on the form.
- 6. Acceptance and approval of this plan is conditioned upon your compliance with federal and state water quality laws, regulations, and rules. In addition, local city or county ordinances or rules may also apply to this land-disturbing activity. This does not supersede any other permit or approval. The developer is responsible for obtaining any and all permits and approvals necessary for the developing of this project prior to the commencement of this land-disturbing activity. This could include the Division of Water Quality under storm water regulations, the US Army Corps of Engineers under Article 404 jurisdiction, local county or town agencies under their local ordinances, or others that may be required. This approval cannot supersede any other permit or approval; however, in the case of a Cease and Desist Order from the Corps of Engineers, that Order would only apply to wetland areas. All other lands must still be in compliance with the Sedimentation Pollution Control Act.
- 7. If any area on site falls under the jurisdiction of Section 404 of the Clean Water Act, the developer is responsible to the orders of the US Army Corps of Engineers. Any erosion control measures that fall within jurisdictional wetland area must be relocated to the transition point between the wetlands and the highlands to assure that the migration of sediment will not occur. If that relocation presents a problem or contradicts any requirements of the Corps of Engineers, it is the responsibility of the developer to inform the Land Quality Section's Regional Office so that an adequate contingency plan can be made to assure sufficient erosion control on-site. Failure to do so will be considered a violation of this approval.
- 8. Any borrow material brought onto this site must be from a legally permitted mine site or other approved source. A single use borrow site is only permissible if all of the following apply: (1) The excavation or grading is conducted to provide soil or other unconsolidated material to be used without further processing for a single off-site construction project for which an erosion control plan has been approved in accordance with Article 4 of Chapter 113A of the NCGS. (2) The affected land, including nonpublic access roads, does not exceed five acres. (3) The excavation or grading is completed within one year. (4) the excavation or grading does not involve blasting, the removal or material from rivers of streams, the disposal of off-site waste on the affected land, or the surface disposal of groundwater beyond the affected land. (5) The excavation or grading is not in violation of any local ordinance. (6) An erosion control plan for the excavation or grading has been approved in accordance with Article 4 of Chapter 113A of the NCGS.
- Following the completion of the project, you should notify this office to schedule a final
 inspection. The purpose of this inspection is to ensure that all erosion control requirements
 have been met.

10. This project is subject to the National Pollutant Discharge Elimination System (NPDES) and covered by the enclosed general storm water permit NCG010000 (Construction Activities). You should become familiar with all of the requirements for compliance with the enclosed general permit.

This approval is subject to the satisfactory performance of the erosion control measures under field conditions. Should it be determined that the requirements of the Sedimentation Pollution Control Act of 1973 (GS 113A, 51-66) are not being met, revisions to the plan and its implementation will be required.

This permit allows for a land disturbance, as called for on the application plan, not to exceed 21.5 acres and/or the limits of the submitted plans. Exceeding these limits will be a violation of this permit and would require a revised plan and additional application fee. Amendments to the plan should be submitted to this office under the same procedures as followed for the original plan. This plan approval shall expire three (3) years following the date of approval, if no land-disturbing activity has been undertaken, as is required by Title 15A NCAC 4B .0029.

We look forward to working with you on this project.

Sincerely.

Steve Cook

Steve Cook, C.P.E.S.C.

Assistant Regional Engineer

Land Quality Section

MSC/fcp

Enclosure

cc: Clayton, Sr., P.E., Inc.

Lindwood McDonald, Building Inspector

LQ Section Regional File

Ricky Revels, Water Quality Section

Project Name: Anderson Creek Landfill

Project Number: Harne-2005-004 Submitted By: Clayton, Sr., P.E., Inc.

Date Received by LQ: 10/4/2004

River Basin: Cape Fear

COUNTY OF HARNETT OPERATIONS PLAN

ANDERSON CREEK LANDFILL TRANSFER STATION FACILITY

Prepared by:



POST OFFICE BOX 578
COATS, NORTH CAROLINA 27521
PHONE 910-897-7070 FAX: 910 897-6767
Email: ct@ctclayton.com

AUGUST 2006

Project No. 3006

TABLE OF CONTENTS

Letter of Transmittal

Section 1	Introduction	1
Section 2	Waste Acceptance Criteria	5
Section 3	Transfer Station Operations	6
Section 4	Erosion Control Requirements	8
Section 5	Drainage Control and Water Protection Requirements	9
Section 6	Disease and Vector Control	10
Section 7	Sign and Safety Requirements	11
Section 8	Access and Security Requirements	12

SECTION 1 INTRODUCTION

1.1 Purpose

Harnett County proposes to construct a Transfer Station to transfer solid waste from both household and commercial sites to an approved Subtitle D landfill. This Operations Plan will assist Harnett County in the daily operations of the station and serve as a guide to safely maintain and operate the Anderson Creek Transfer Station. This Operations Plan has been prepared in accordance with the North Carolina Solid Waste Rules 15A NCAC 13B .0402, Operational Requirements for Transfer Facilities. The Operations Plan also addresses pertinent operational requirements outlined in Rule .0505, Operational Requirements for Sanitary Landfills. The Operational Plan will discuss the following issues:

- Waste Acceptance Criteria
- Facility Operations
- Erosion Control Requirements
- Drainage Control and Water Protection
- Disease and Vector Control
- Sign and Safety Requirements
- Access and Security Requirements

1.2 Facility Location

The proposed Anderson Creek Transfer Station is located near the scale house on the existing 153 acre County landfill property. The Anderson Creek Landfill is located approximately 15 miles southwest of Lillington, North Carolina, off of NC Hwy 27. This facility contains two closed municipal solid waste (MSW) landfill units, a closed LCID landfill unit, a yard waste storage area, and an existing C&D landfill unit that is currently active. The two MSW landfills stopped receiving waste prior to October 9, 1993. The LCID unit stopped receiving waste in 1996, after the permitting of the current C&D unit. Upon the closure of the LCID unit, the existing C&D unit began operation in the area of the former LCID unit in December 1996. All County planning and zoning requirements were met and approved in the original permitting process for this facility.

SITE VICINITY MAP
SCALE: NOT TO SCALE

Figure 1: Site location map

To reach the landfill facility from Lillington, NC, take Hwy 27W for 8 miles. Turn left onto Nursery Road and continue for 3.5 miles. Turn right onto Doc's Road and the first road on the left will be Poplar Drive leading to the landfill.

The mailing address for the transfer facility is the same as the Solid Waste Department:

Harnett County General Services Office Solid Waste Department P.O. Box 940 Lillington, NC 27546

1.3 Facility Description

The Harnett Transfer Station consists of a tipping building, tipping building apron, access roads, trailer packing & parking areas. The tipping building includes upper and lower level concrete slabs with metal wall panels on three sides of the building. The east side of the building is open for vehicle access to the tipping floor. Three exhaust fans, one on each wall, for odor control and air quality within the operating area. The tipping building apron and access roads will have either an asphalt or concrete paved surface. The existing landfill scale house is used for weighing incoming vehicles. The outgoing transfer trailer vehicles are weighed prior to disposal at a lined landfill. Currently the waste is being disposed at the Uwharrie Environmental facility (NCDENR SW Permit #62-04) located in Troy, NC. A secondary optional disposal site for the disposal of the waste leaving the transfer station is the Waste Industries Landfill (NCDENR SW Permit#82-02) located in Sampson County, NC. A complete set of Civil and Architectural drawings are included with the Permit Application dated July 28, 2006.

Wash down water from the tipping floor and truck drive through will be collected and directed to one of two 1,200-gallon on-site holding tanks. The County currently pumps and hauls the wastewater to the Buies Creek wastewater treatment plant.

Below is a figure showing the overall transfer station facility:




Figure 2: Transfer Station Facility

The owner of the transfer station is Harnett County; the primary contact person for issues concerning operation of the transfer station will be:

Mr. Jerry Blanchard General Services Manager and Solid Waste Director Harnett County General Services 900 South 9th Street P. O. Box 940

Lillington, NC 27546

Below are the secondary contacts for issues concerning operation of the transfer station:

Mr. Randy Smith, Landfill Operations Supervisor

Mr. Andrew Holland, Onsite Facility Manager *(these individuals can be reached at the address above)

SECTION 2 WASTE ACCEPTANCE CRITERIA

In accordance with 15A NCAC 13B .0402(1), a transfer facility shall only accept those wastes which it is permitted to receive. The Anderson Creek Transfer Station will accept only municipal solid waste (MSW) (i.e., residential, commercial, and industrial waste) generated within the Harnett County service area. Based upon recent annual landfill waste disposal records, the County anticipates receiving a maximum annual tonnage rate of approximately 70,000 tons per year of MSW at the transfer station. The projected annual tonnage rate yields a daily rate of approximately 225 tons per day based upon 312 operating days per year. To accommodate fluctuations in the amount of waste delivered to the facility the transfer station has been designed to handle 250 tons per day. The residential waste is being transported to the transfer facility by residential and private hauler vehicles. The residential vehicles consist primarily of pick-up trucks and cars; while, the private hauler vehicles will be of the rear and side loader truck types. The existing smaller transfer station will be converted to a convenience center to route pick-up trucks and cars away from the transfer facility, mainly due to safety considerations. Commercial and industrial waste will be primarily transported to the facility by private waste haulers.

2.1 Recyclable Material

Harnett County currently operates a drop-off facility that accepts lead acid batteries, yard waste, white goods, and whole scrap tires at the existing landfill. A C&D landfill is also in operation at the existing landfill. Harnett County will continue to provide these services. A trained inspector capable of recognizing hazardous and liquid wastes will be available during all operating hours.

2.2 Prohibited Wastes

In accordance with Rule .05059(10)(e), the Harnett County Transfer Station will not accept barrels and drums unless they are empty and perforated sufficient to ensure that no liquid or hazardous waste is contained in them. In accordance with Rule .0505(11)(b), no hazardous or liquid waste shall be accepted at the transfer station. In addition, the transfer station will not accept infectious waste, medical waste, animal waste, animal carcasses, sludge or radioactive waste. Customers who attempt to deliver prohibited wastes will be directed to an appropriate site which will accept such wastes. A report shall be prepared for any attempted delivery of waste of which the transfer station is not permitted to receive, including waste from outside the permitted transfer station service area. The report will be forwarded to:

Department of Environment, Health and Natural Resources Solid Waste Division 1646 Mail Service Center 401 Oberlin Rd., Suite 150 Raleigh, North Carolina 27699 (919) 733-0692

SECTION 3 TRANSFER STATION OPERATIONS


The Anderson Creek Transfer Station is open to the public Monday through Saturday from 7:30 a.m. to 4:30 p.m. The transfer station is closed on some federal and legal holidays. A sign is posted at the entrance to the transfer station identifying the hours of operation. The proper operation of the transfer station requires approximately 3 trained personnel working in cooperation with each other.

Since the Anderson Creek Transfer Station is operated as a tipping floor facility, the only equipment required for safe and effective operation of the facility are the rubber-tired front-end loaders, transfer trailers, and waste collection trucks.

3.1 Tipping Floor Operations

Collection vehicles delivering residential, commercial, and industrial waste to the facility will proceed to the scale house to be weighed. Local resident vehicles will have to stop at the scale house. Here, depending on the type of waste, will be directed to where they can deposit their waste at this facility. Once vehicles have passed the scale house area, they will continue along the access road until reaching the tipping building apron at the transfer station. The tipping building apron provides access to the east side of the Anderson Creek Transfer Station, which opens to the 4,316 square foot tipping floor. The transfer station has been designed with a 10 ft. high push wall that runs along the north and south sides of the tipping floor; and one (1) open pit approx. 43' long by 6' wide located at the west end of the facility approximately 14 ft. above the drive-thru areas. The figure below shows the general layout of the facility and the typical traffic patterns.

Figure 3: Transfer Station Traffic Flow



The transfer station attendant will direct vehicles, waiting to unload, back into the facility through the east entrance. The vehicles will back directly onto the tipping floor to an area designated by the attendant. Once the vehicle is in position and the waste has been inspected by the attendant, the waste load will be discharged directly onto the tipping floor. The Operator will continuously push deposited waste towards the open pit located at the west end of the upper level tipping floor. The lower level of the transfer station will have a drive-thru area for transfer trailer truck access. The open-top transfer trailer truck will pull into the drive-thru area and align itself beneath the open pit. Once the trailer truck is in position, the Operator will load and compact the waste into the transfer trailer. The lower drive-thru area has been designed to provide sufficient space for the driver to exit the vehicle; and, walk to safety in the event of an emergency. Once the transfer trailer has been completely loaded, the vehicle will be driven to the lined landfill at Troy for ultimate disposal.

SECTION 4 EROSION CONTROL REQUIREMENTS

The Anderson Creek Landfill has an existing erosion and sedimentation control plan for the entire operational area, which is relative to the location of the transfer station. The landfill area has several drainage ditches, sediment ponds and culverts, which transport and treat sediment-laden water prior to release. The most recent approval for this area was the October 19, 2004 issuance of the Erosion and Sediment Control permit for the Anderson Creek Landfill Phase II Expansion application. All drainage from the site is routed to an existing sediment basin. Included in the transfer station design is 1019 If of sediment fence, several drainage ditches and culverts to direct stormwater flow to the appropriate erosion and sediment control structure.

SECTION 5 DRAINAGE CONTROL AND WATER PROTECTION REQUIREMENTS

In accordance with Rule .0505(7)(b), the Anderson Creek Transfer Station will be operated so as to prevent ponded water from coming in contact with discharged waste, and to contain and properly discharge collected leachate.

The tipping floor and drive-thru area will be washed down as needed throughout the day and also at the end of each operating day. The current facility layout indicates that wash down water is directed to two (2) 12" X 4" slots cut into the push wall, one on either side of the facility, located 32.5' from the retaining wall at the west end of the building. The slots drain to the outside of the facility where the water is contained in a 5' X 5' concrete pad with a 12" high knee wall. Centered in the pad is a 12" X 12" grate. Wash down water enters the grate and is directed to two (2) 1,200 gal storage tanks via 4" sanitary sewer line. The drive-thru area on the lower level of the transfer station has a sloped floor channeling water from either direction to the a 12" X 4" slot cut at the center of the west wall. A single 12" X 12" grate collects the wash down water which ultimately drains into a 6" sanitary sewer line that connects to one of two on-site holding tank located on the southwest side of the transfer station. The collected leachate will be pumped out as needed and hauled to the Buies Creek Wastewater Treatment Plant (owned and operated by Harnett County).

In the area of the tipping floor entrance apron, water is directed away from the operational area by sloping the apron at a 2% grade away from the transfer station building.

A complete set of architectural, structural, plumbing, and HVAC drawings, which provide plan and sectional views of the tipping floor and drive-thru areas are currently included with the Permit Application dated August 14, 2006.

SECTION 6 DISEASE AND VECTOR CONTROL

In accordance with Rule .0505(12)(a), Harnett County shall provide effective vector control measures for the protection of human health and the environment. Disease vectors are defined as any rodent, flies, mosquitoes, or other animals, including insects, capable of transmitting disease to humans.

Control of disease vectors will be maintained by implementation of a daily cleaning program which involved removal of waste, leachate, and ponded water from the facility operating areas. The removal of waste at the end of each operating day protects against migration of vectors into and from the transfer station. Harnett County also utilizes deodorizers, paint, and wash water to keep the tipping floor and drive-thru areas clean and free from rodents, flies, and other animals. Stagnant ponded water is prevented from occurring to control mosquito breeding. If problems controlling disease vectors persist, County mosquito control or a licensed exterminator shall be employed to control vectors.

Since the transfer station is enclosed on three sides, wind blown trash is not a major operational concern for the County. Any wind blown trash discovered at the end of an operating day shall be collected and stored in a transfer vehicle or an on-site trash bin.

SECTION 7 SIGN AND SAFETY REQUIREMENTS

7.1 Sign Requirements

In accordance with Rule .0505(9)(a)(b)(c), Harnett County has posted signs at the transfer station entrance indicating operational procedures, hours of operation, tipping fee, and the permit number. Signs are clearly posted stating that no hazardous or liquid waste can be received. Traffic signs and markers have been provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

7.2 Open Burning of Waste

In accordance with Rule .0505(10)(a), open burning of waste is prohibited at the Anderson Creek Transfer Station.

7.3 Fire Protection Equipment

In accordance with Rule .0505(10)(b), equipment is provided to control accidental fires and arrangements have been made with the local fire protection agency to immediately provide fire-fighting services when needed. The transfer station building is equipped with an appropriate number of fire extinguishers, a two inch wash down hydrant, and two hose bibs, located on the either side, to effectively control accidental fires.

7.4 Notification of Fire

In accordance with Rule. .0505(10)(c), fires that occur at the Anderson Creek Transfer Station require verbal notice to the Division of Solid Waste within 24 hours and written notification shall be submitted within 15 days. Verbal and written notification shall be submitted to the Raleigh Regional Waste Management Specialist:

Department of Environment, Health and Natural Resources Solid Waste Division 1646 Mail Service Center 401 Oberlin Rd., Suite 150 Raleigh, North Carolina 27699 (919) 733-0692

SECTION 8 ACCESS AND SECURITY REQUIREMENTS

8.1 Transfer Station Access and Security

In accordance with Rule .0505(8)(a), the transfer station is secured by means of gates, chains, berms, fences and other security measures approved by the Division of Solid Waste Management to prevent unauthorized entry. All vehicles delivering waste to the transfer station will enter and exit through the existing Anderson Creek Landfill access control gate. Unauthorized vehicle access to the facility is prevented around the remaining portion of the transfer station and landfill property by chain link fence and Creeks.

8.2 Attendant

In accordance with Rule .0505(8)(b) The Anderson Creek Transfer Station has a full time Scale Operator located in the scale house during operating hours. In addition, a Transfer Station Attendant is at the facility at all times during operating hours. Both the Scale Operator and Transfer Station Attendant are responsible for verifying that all vehicles comply with the permitted operational requirements.

8.3 Access Road

In accordance with Rule .0505(8)(c), the access roads for the Anderson Creek Transfer Station are constructed of all-weather surface (asphalt, or concrete) and shall be maintained in good condition. Potholes, ruts and debris on the roads shall receive immediate attention in order to avoid damage to the vehicles.